

**IN THE CLAIMS:**

Please amend the claims as follows:

1. **(Previously presented)** An air conditioning system for a vehicle comprising:

a compressor for compressing a refrigerant,

a condenser for condensing the refrigerant,

an evaporator for evaporating the refrigerant,

a discharge fluid line interconnecting the compressor and said condenser,

a liquid fluid line interconnecting said condenser and said evaporator,

a suction fluid line interconnecting said evaporator and said compressor,

an accumulator/dehydrator (A/D) disposed in said suction fluid line for accumulating refrigerant, and

a heat transfer jacket surrounding said A/D and including a heat transfer media independent of the refrigerant in the system for exchanging heat with said A/D and the refrigerant in the system.

2. **(Previously presented)** A system as set forth in claim 1 wherein said heat transfer jacket defines a space surrounding said A/D and said heat transfer media is disposed in said space for cooling by extracting heat from the refrigerant in said A/D.

3. **(Original)** A system as set forth in claim 2 wherein said space is defined by an inner wall of said A/D and outer wall spaced therefrom.

4. **(Original)** A system as set forth in claim 2 wherein said jacket is defined by a double walled sleeve surrounding said A/D and defining said space between said walls thereof.

5. **(Previously presented)** A system as set forth in claim 1 wherein said heat transfer media comprises a thermoelectric device.

6. **(Previously presented)** A method of operating an air conditioning system of the type including a compressor for compressing a refrigerant, a condenser for condensing the refrigerant, an evaporator for evaporating the refrigerant, a discharge fluid line interconnecting the compressor and the condenser, a liquid fluid line interconnecting the condenser and the evaporator, a suction fluid line interconnecting the evaporator and the compressor, and an accumulator/dehydrator A/D disposed in the suction fluid line for accumulating refrigerant, said method comprising the steps of surrounding the A/D with a heat transfer jacket and exchanging heat with the A/D and the refrigerant therein independently of the refrigerant in the system.

7. **(Original)** A method as set forth in claim 6 further defined as surrounding the A/D with a space and disposing a heat transfer media in the space for cooling by extracting heat from the refrigerant in the A/D.

8. **(Original)** A method as set forth in claim 7 further defined as disposing an outer wall about an inner wall of the A/D to provide the space.

**Appln. No.: 10/602,380**

**Request for Reconsideration**

**Reply to Final Office Action of September 24, 2004**

9. **(Original)** A method as set forth in claim 7 further defined as disposing a double walled sleeve about the A/D to define the space between the walls thereof.

10. **(Original)** A method as set forth in claim 6 further defined as disposing a thermoelectric device about the A/D to define the jacket.